



## Referenzliste | Liste des références

1. Hoeper MM, Bogaard HJ, Condliffe R et al.: Definitions and diagnosis of pulmonary hypertension. *J Am Coll Cardiol* 2013;62(25 Suppl):D42–50.
2. Galie N, Humbert M, Vachiery JL et al.: 2015 ESC/ERS Guidelines for the diagnosis and treatment of pulmonary hypertension: The Joint Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS): Endorsed by: Association for European Paediatric and Congenital Cardiology (AEPC), International Society for Heart and Lung Transplantation (ISHLT). *Eur Respir J* 2015;46(4):903–75.
3. Galie N, Rubin L, Hoeper M et al.: Treatment of patients with mildly symptomatic pulmonary arterial hypertension with bosentan (EARLY study): a double-blind, randomised controlled trial. *Lancet* 2008;371(9630):2093–100.
4. Humbert M, Sitbon O, Chaouat A et al.: Pulmonary arterial hypertension in France: results from a national registry. *Am J Respir Crit Care Med* 2006;173(9):1023–30.
5. Lador F, Herve P: A practical approach of pulmonary hypertension in the elderly. *Semin Respir Crit Care Med* 2013;34(5):654–64.
6. Berger RM, Beghetti M, Humpl T et al.: Clinical features of paediatric pulmonary hypertension: a registry study. *Lancet* 2012;379(9815):537–46.
7. Rich JD, Archer SL, Rich S: Noninvasive cardiac output measurements in patients with pulmonary hypertension. *Eur Respir J* 2013;42(1):125–33.
8. Lador F, Herve P, Bringard A et al.: Non-Invasive Determination of Cardiac Output in Pre-Capillary Pulmonary Hypertension. *PloS one* 2015;10(7):e0134221.
9. Swift AJ, Rajaram S, Hurdman J et al.: Noninvasive estimation of PA pressure, flow, and resistance with CMR imaging: derivation and prospective validation study from the ASPIRE registry. *JACC Cardiovasc Imag* 2013;6(10):1036–47.
10. Garcia-Alvarez A, Fernandez-Friera L, Mirelis JG et al.: Non-invasive estimation of pulmonary vascular resistance with cardiac magnetic resonance. *Eur Heart J* 2011;32(19):2438–45.
11. Lau EM, Vanderpool RR, Choudhary P et al.: Dobutamine stress echocardiography for the assessment of pressure-flow relationships of the pulmonary circulation. *Chest* 2014;146(4):959–66.
12. Swift AJ, Rajaram S, Marshall H et al.: Black blood MRI has diagnostic and prognostic value in the assessment of patients with pulmonary hypertension. *Eur Radiol* 2012;22(3):695–702.
13. Ameli-Renani S, Ramsay L, Bacon JL et al.: Dual-energy computed tomography in the assessment of vascular and parenchymal enhancement in suspected pulmonary hypertension. *J Thorac Imaging* 2014;29(2):98–106.



14. Ameli-Renani S, Rahman F, Nair A et al.: Dual-energy CT for imaging of pulmonary hypertension: challenges and opportunities. *Radiographics* 2014;34(7):1769–90.
15. Johnson TR, Krauss B, Sedlmair M et al.: Material differentiation by dual energy CT: initial experience. *Eur Radiol* 2007;17(6):1510–7.
16. Ko JP, Brandman S, Stember J, Naidich DP: Dual-energy computed tomography: concepts, performance, and thoracic applications. *J Thoracic Imaging* 2012;27(1):7–22.
17. Boroto K, Remy-Jardin M, Flohr T et al.: Thoracic applications of dual-source CT technology. *Eur J Radiol* 2008;68(3):375–84.
18. Hoey ET, Agrawal SK, Ganesh V et al.: Dual energy CT pulmonary angiography: findings in a patient with chronic thromboembolic pulmonary hypertension. *Thorax* 2009;64(11):1012.
19. Nakazawa T, Watanabe Y, Hori Y et al.: Lung perfused blood volume images with dual-energy computed tomography for chronic thromboembolic pulmonary hypertension: correlation to scintigraphy with single-photon emission computed tomography. *J Comput Assist Tomogr* 2011;35(5):590–5.
20. Renard B, Remy-Jardin M, Santangelo T et al.: Dual-energy CT angiography of chronic thromboembolic disease: can it help recognize links between the severity of pulmonary arterial obstruction and perfusion defects? *Eur J Radiol* 2011;79(3):467–72.
21. Hoey ET, Mirsadraee S, Pepke-Zaba J et al.: Dual-energy CT angiography for assessment of regional pulmonary perfusion in patients with chronic thromboembolic pulmonary hypertension: initial experience. *AJR Am J Roentgenol* 2011;196(3):524–32.
22. Soler X, Kerr KM, Marsh JJ et al: Pilot study comparing SPECT perfusion scintigraphy with CT pulmonary angiography in chronic thromboembolic pulmonary hypertension. *Respirology* 2012;17(1):180–4.
23. Castaner E, Gallardo X, Ballesteros E et al.: CT diagnosis of chronic pulmonary thromboembolism. *Radiographics* 2009;29(1):31–50; discussion 50–53.
24. Pitton MB, Kemmerich G, Herber S et al.: Chronic thromboembolic pulmonary hypertension: diagnostic impact of Multislice-CT and selective Pulmonary-DSA. *RoFo* 2002;174(4):474–9.
25. Tunariu N, Gibbs SJ, Win Z et al.: Ventilation-perfusion scintigraphy is more sensitive than multidetector CTPA in detecting chronic thromboembolic pulmonary disease as a treatable cause of pulmonary hypertension. *J Nucl Med* 2007;48(5):680–4.



26. Pontana F, Faivre JB, Remy-Jardin M et al.: Lung perfusion with dual-energy multidetector-row CT (MDCT): feasibility for the evaluation of acute pulmonary embolism in 117 consecutive patients. *Acad Radiol* 2008;15(12):1494–504.
27. Thieme SF, Graute V, Nikolaou K et al.: Dual Energy CT lung perfusion imaging - correlation with SPECT/CT. *Eur J Radiol* 2012;81(2):360–5.
28. Lee CW, Seo JB, Lee Y et al.: A pilot trial on pulmonary emphysema quantification and perfusion mapping in a single-step using contrast-enhanced dual-energy computed tomography. *Invest Radiol* 2012;47(1):92–7.
29. Chae EJ, Seo JB, Goo HW et al. Xenon ventilation CT with a dual-energy technique of dual-source CT: initial experience. *Radiology* 2008;248(2):615–24.
30. Park EA, Goo JM, Park SJ et al. Chronic obstructive pulmonary disease: quantitative and visual ventilation pattern analysis at xenon ventilation CT performed by using a dual-energy technique. *Radiology* 2010;256(3):985–97.
31. Chae EJ, Seo JB, Lee J et al.: Xenon ventilation imaging using dual-energy computed tomography in asthmatics: initial experience. *Invest Radiol* 2010;45(6):354–61.
32. Hachulla AL, Pontana F, Wemeau-Stervinou L et al.: Krypton ventilation imaging using dual-energy CT in chronic obstructive pulmonary disease patients: initial experience. *Radiology*. 2012;263(1):253–9.
33. Au VW, Jones DN, Slavotinek JP: Pulmonary hypertension secondary to left-sided heart disease: a cause for ventilation-perfusion mismatch mimicking pulmonary embolism. *Br J Radiol* 2001;74(877):86–8.
34. Ruzsics B, Lee H, Zwerner PL et al: Dual-energy CT of the heart for diagnosing coronary artery stenosis and myocardial ischemia-initial experience. *Eur Radiol* 2008;18(11):2414–24.
35. Ko SM, Choi JW, Song MG et al.: Myocardial perfusion imaging using adenosine-induced stress dual-energy computed tomography of the heart: comparison with cardiac magnetic resonance imaging and conventional coronary angiography. *Eur Radiol* 2011;21(1):26–35.
36. Schwarz F, Ruzsics B, Schoepf UJ et al. Dual-energy CT of the heart--principles and protocols. *Eur J Radiol* 2008;68(3):423–33.